

FIG. 1




FIG. 2




FIG. 3

PRINT	
ExPM SERVER NAME:	<input type="text" value="expp1@abc.com"/>
ExPM PROXY NAME:	<input type="text" value="expp-proxy1.comnet.com"/>
CONTINUE TIME OUT:	<input type="text" value="60"/> SECOND
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

FIG. 4




FIG. 5





FIG. 6




10046882.011702

FIG. 7

version-number	2 bytes	- required
operation-id (request) or status-code (response)	2 bytes	- required
request-id	4 bytes	- required
begin-attribute-group-tag	1 byte	
uri(0x45) or nameWithLanguage(0x36)	1 byte	
name-length (15)	2 bytes	} 81
job-client-addr	15 bytes	
value-length (15)	2 bytes	
client-address(ex. 172.022.022.022)	15 bytes	
name-length (15)	2 bytes	
job-client-port	15 bytes	
value-length (4)	2 bytes	
client-port-number(ex. 3302)	4 bytes	
empty or rest of attribute	0 or more	
end-of-attributes-tag	1 byte	- required
data	y bytes	- optional

FIG. 8



10046802-0170E






FIG. 10



1004682, 011702



MESSAGE HEADER	REQUEST LINE (REQUEST)
	STATUS LINE (RESPONSE)
	REQUEST/RESPONSE HEADER FIELD
	GENERAL HEADER FIELD
	ENTITY HEADER FIELD
	OTHERS
SPACE LINE	
MESSAGE BODY	

FIG. 13





FIG. 14


		ROLE (WHEN CONNECTION)	ROLE (WHEN SERVICE)
CLIENT/ PROXY	ExPM CLIENT	Client	Client
	ExPM PROXY	Server	Server
PROXY/ SERVER	ExPM PROXY	Server	Client
	ExPM SERVER	Client	Server

FIG. 15




10046882-011702

FIG. 16



202710.2889002

FIG. 17



10046882-011702

FIG. 18




FIG. 19





FIG. 20



10046882.01.1702

FIG. 21





FIG. 22



2021112889001

FIG. 23




FIG. 24




FIG. 25

10046832-01.1702




FIG. 26





FIG. 27



10046882-011702

FIG. 28





FIG. 29


PRINT	
ExPM SERVER NAME:	<input type="text" value="expp1@abc.com"/>
ExPM PROXY NAME:	<input type="text" value="expp-proxy1.comnet.com"/>
CONNECTION TIME OUT:	<input type="text" value="60"/> SECOND
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

FIG. 30




201102884001 10046882-011702

FIG. 31




202710-288940-10046882-011702

FIG. 32



201102884001

FIG. 33



2017102289001

FIG. 34

PRINT

ExPM PROXY NAME:

SPOOL LIST ON expp-proxy1.comnet.com

ExPM SERVER NAME:

expp.123.com
expp1.abc.com
expp2.abc.com
expp3.abc.com
public.xyz.com

10046882-011702

FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

